


PRODUCT

MERAS Organic Emitter Flow 250

MATERIAL SAFETY DATA SHEET



601 VAN NESS AVE. #E3-725, SAN FRANCISCO, CA. 94102
PH.866.899.9762



CONTACT:
ChemTrec 800-424-9300

SECTION I - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Organic Emitter Flow 250
PRODUCT USE: Water treatment chemical for Organic growers. Irrigation system cleaner.
MANUFACTURER: Meras Engineering
601 Van Ness Ave #E3-725
San Francisco, CA 94102
PRODUCT INFORMATION: 1-866-899-9762 (outside the U.S. 1-415-240-4918)
TRANSPORT EMERGENCY: CHEMTREC: 1-800-424-9300 (outside the U.S. 1-703-527-3887)
OTHER INFORMATION: professional use

SECTION II - COMPOSITION / INFORMATION ON INGREDIENTS

CAS # Component Percent
77-92-9 Citric Acid 15-50%
7732-18-5 Water Balance
Component Information/Information on Non-Hazardous Components
This product is considered hazardous under 29 CFR 1910.1200 (Hazard Communication).

SECTION III - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Citric Acid Solution is a clear or yellow to brown liquid, with a faint sugary odor. Citric Acid is moderately to severely irritating to eyes, and moderately irritating to skin, and respiratory tract. Citric Acid Solution is not combustible. Use methods suitable for containing (diking) the solution in case of fire or spill. Firefighters should wear full protective equipment when fighting a fire involving this product.

HAZARD STATEMENTS

DANGER! THIS SOLUTION CAUSES EYE, SKIN, AND RESPIRATORY TRACT IRRITATION OR BURNS. MAY CAUSE ALLERGIC SKIN SENSITIZATION REACTION. Do not breath or ingest mists, vapors, or aerosols. Do not allow contact with eyes, skin, or clothing. Keep container closed. Use only with adequate ventilation. Wash thoroughly after handling.

EYES: This solution may cause severe irritation to the eyes, with symptoms that include redness, tearing, and pain. Concentrated solutions may be corrosive to the eyes and cause corneal ulcerations.

SKIN: This product may cause moderate irritation of the skin. Citric Acid may cause allergic contact dermatitis with prolonged or repeated contact in sensitive individuals.

INGESTION: Citric Acid may cause mild gastrointestinal irritation, with symptoms including nausea, diarrhea, vomiting, and abdominal pain. Concentrated solutions may cause necrotic and ulcerative lesions on oral mucous membranes. Chronic ingestion of high concentration Citric Acid can result in erosion of tooth enamel. Repeated ingestion of this solution can result in sensitization to the sun, causing sunburn.

INHALATION: Aerosols and mists from solutions may cause mild to moderate irritation of the nose and throat. Overexposure could cause coughing, sneezing, and labored breathing.

OTHER POTENTIAL

HEALTH EFFECTS : Chronic, high concentration overexposure to Citric Acid can result in a reduction of plasma calcium concentration, which can lead to cardiac arrhythmias, reduced cardiac output and, in severe cases, death.

REVISED: 02/16/11

HMIS RATINGS: Health Hazard: 2* Fire Hazard: 0 Physical Hazard: 0
 HAZARD SCALE: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic hazard

SECTION IV - FIRST AID MEASURES

EYES: Immediately flush the contaminated eye with plenty of water for 15 minutes. Get medical attention if symptoms of pain, swelling, or tearing exist after flushing the eyes.

SKIN: For skin contact, immediately wash extremely thoroughly with soap and water. Get medical attention if irritation develops or persists.

INGESTION: DO NOT INDUCE VOMITING. Have victim rinse mouth with water, if conscious. Never give anything by mouth to a victim who is unconscious or having convulsions. Contact a physician or poison control center immediately.

INHALATION: Remove source of contamination or move victim to fresh air. Apply artificial respiration if victim is not breathing. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Administer oxygen if breathing is difficult. Get immediate medical attention.

NOTES TO PHYSICIAN: There is no specific antidote. Care is symptomatic and supportive.

SECTION V - FIRE FIGHTING MEASURES

FLASH POINT: Not applicable.
 METHOD USED: Not applicable.
 UPPER FLAMMABLE LIMIT (UEL): Not applicable.
 LOWER FLAMMABLE LIMIT (LEL): Not applicable.
 AUTO IGNITION: Not applicable.
 FLAMMABILITY CLASSIFICATION: Not applicable.
 RATE OF BURNING: Not applicable.
 GENERAL FIRE HAZARDS: Not considered flammable although if allowed to evaporate to dryness, residue may burn in presence of strong ignition source.

HAZARDOUS COMBUSTION PRODUCTS

APPLIES TO RESIDUE: Carbon dioxide and carbon monoxide are normal products of combustion. Incomplete combustion may produce irritating fumes and acrid smoke.

EXTINGUISHING MEDIA: Water, foam, dry chemical, or carbon dioxide. Dike and collect water used to fight fire; runoff may cause damage. Fire Fighting Equipment/Instructions: Firefighters should wear full protective clothing including self contained breathing apparatus.

NFPA RATINGS: Health: 2 Fire: 0 Reactivity: 0 Other:
 HAZARD SCALE: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

SECTION VI - ACCIDENTAL RELEASE MEASURES

CONTAINMENT PROCEDURES

Stop the flow of material, if this can be done without risk. Contain the discharged solution; dike runoff to prevent spill from contaminating storm drains, sewers, soil or groundwater waterways.

CLEAN-UP PROCEDURES

Wear appropriate protective equipment and clothing during clean-up. Addition of sodium bicarbonate or lime (soda ash) will neutralize Citric Acid and precipitate calcium citrate. Test area of spill with pH paper to assure neutralization. Thoroughly wash the area after a spill clean-up with large quantities of water, flush to drain.

EVACUATION PROCEDURES

Evacuate the area promptly and keep upwind of the spilled material. Isolate the spill area to prevent people from entering. Keep incompatible materials away from spilled solution. In case of large spills, follow all facility emergency response procedures.

SPECIAL PROCEDURES

Remove soiled clothing and launder before reuse. Avoid all skin contact with the spilled material. Have emergency equipment readily available.

REVISED: 02/16/11

SECTION VII - HANDLING AND STORAGE

HANDLING PROCEDURES

All employees who handle this material should be trained to handle it safely. Do not breathe vapors or mists. Avoid all contact with skin and eyes. Use this product only with adequate ventilation. Wash thoroughly after handling.

STORAGE PROCEDURES

Keep container tightly closed when not in use. Keep containers upright, do not drop, roll or skid. Store containers in a cool, dry location, away from direct sunlight, sources of intense heat, or where freezing is possible. Material should be stored in secondary containers or in a diked area, as appropriate. Store containers away from incompatible chemicals (see Section 10, Stability and Reactivity). Storage areas should be made of fire- and corrosion-resistant materials. Post warning and "NO SMOKING" signs in storage and use areas, as appropriate. Use corrosion-resistant structural materials, lighting, and ventilation systems in the storage area. Floors should be sealed to prevent absorption of this material. Inspect all incoming containers before storage, to ensure containers are properly labeled and not damaged. Have appropriate extinguishing equipment in the storage area (i.e., sprinkler system, portable fire extinguishers). Empty containers may contain residual particulates; therefore, empty containers should be handled with care. Never store food, feed, or drinking water in containers which held this product. Keep this material away from food, drink and animal feed. Do not store this material in open or unlabeled containers. Limit quantity of material stored. Wipe down area of use periodically as area can become sticky.

SECTION VIII - EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES

GENERAL PRODUCT INFORMATION:	No exposure guidelines have been established.
COMPONENT EXPOSURE LIMITS:	ACGIH, OSHA, and NIOSH have not developed exposure limits for any of this product's components.
ENGINEERING CONTROLS:	Use mechanical ventilation such as dilution and local exhaust. Use a corrosion-resistant ventilation system and exhaust directly to the outside. Supply ample air replacement.

PERSONAL PROTECTIVE EQUIPMENT

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132). Please reference applicable regulations and standards for relevant details.

EYES/FACE:	Faceshields and goggles should be worn when working with solutions of Citric Acid. If necessary, refer to U.S. OSHA 29 CFR 1910.133.
SKIN:	Use impervious gloves. Butyl rubber, natural rubber, neoprene, nitrile rubber, polyethylene, or PVC are recommended. If necessary, refer to U.S. OSHA 29 CFR 1910.138.
RESPIRATORY:	None required where adequate ventilation conditions exist. If airborne concentration is high, use an appropriate respirator with acid dust/mist pre-filters. If respiratory protection is needed, use only protection authorized in the U.S. Federal OSHA Standard (29 CFR 1910.134), applicable U.S. State regulations. Oxygen levels below 19.5% are considered IDLH by OSHA. In such atmospheres, use of a full-facepiece pressure/demand SCBA or a full facepiece, supplied air respirator with auxiliary self-contained air supply is required under OSHA's Respiratory Protection Standard (1910.134-1998).
GENERAL:	Have an eyewash fountain and safety shower available in the work area. Use good hygiene practices when handling this material including changing and laundering work clothing after use. Wash hands thoroughly after handling material. Do not eat, drink, or smoke in work areas.

SECTION IX - PHYSICAL & CHEMICAL PROPERTIES

PHYSICAL PROPERTIES

ADDITIONAL INFORMATION:

The data provided in this section are to be used for product safety handling purposes. Please refer to Product Data Sheets, Certificates of Conformity or Certificates of Analysis for chemical and physical data for determinations of quality and for formulation purposes.

APPEARANCE:	Colorless or yellow to brown
ODOR:	Slight sugar odor.
PHYSICAL STATE:	Liquid
PH:	Approx 2.5 or lower
VAPOR PRESSURE:	Not available.
VAPOR DENSITY:	Not available.
BOILING POINT:	104 deg C (219 deg F)
MELTING POINT:	Not applicable.
SOLUBILITY (H2O):	162 g/100 mL water at 25 deg C
SPECIFIC GRAVITY:	1.24 @ 25 deg C (77 deg F)
FREEZING POINT:	0 deg C (32 deg F)
PARTICLE SIZE:	Not applicable.
SOFTENING POINT:	Not applicable.
EVAPORATION RATE:	Similar to water.
VISCOSITY:	7.0 centipoise at 25 deg C
BULK DENSITY:	Not applicable.
PERCENT VOLATILE:	Not available.
MOLECULAR WEIGHT:	192.13 (Citric Acid, Anhydrous)
CHEMICAL FORMULA:	C6H8O7 (Citric Acid, Anhydrous)

SECTION X - CHEMICAL STABILITY & REACTIVITY INFORMATION

CHEMICAL STABILITY :	Stable under normal conditions. Dilute aqueous solutions of Citric Acid may ferment if left standing for long period of time.
CHEMICAL STABILITY:	Conditions to Avoid Heat, moisture and incompatible materials.
INCOMPATIBILITY :	Potentially explosive reaction with metal nitrates, strong bases, and oxidizers. Citric Acid is incompatible with reducing agents. Citric Acid Solution is corrosive to brass, copper, zinc, aluminum and their alloys, lead, cast iron and steel (not stainless steel).
HAZARDOUS DECOMPOSITION:	Residue: Carbon dioxide and carbon monoxide are normal products of combustion. Incomplete combustion may produce irritating fumes and acrid smoke.
HAZARDOUS POLYMERIZATION:	Hazardous polymerization will not occur.

SECTION XI - TOXICOLOGICAL INFORMATION

ACUTE AND CHRONIC TOXICITY

GENERAL PRODUCT INFORMATION

Citric Acid has been reported to have allergenic properties, and might cause allergic contact dermatitis and sensitization to the sun. Irritation of the skin, eyes, and gastrointestinal tract may occur, but should not require extensive therapy beyond dilution/irrigation. Vapors and solution may cause severe irritation to the eyes, with symptoms that include redness, tearing, and pain. Concentrated solutions may be corrosive to the eyes and cause corneal ulcerations. This product may cause moderate irritation of the skin. Citric Acid may cause mild gastrointestinal irritation, with symptoms including nausea, diarrhea, vomiting, abdominal pain. Concentrated solutions may cause necrotic and ulcerative lesions on oral mucous membranes. Dusts and mists from solutions may cause mild to moderate irritation to the nose and throat. Higher concentrations could cause coughing, sneezing, and labored breathing. Chronic, high concentration overexposure to Citric Acid can result in a reduction of plasma calcium concentration, which can lead to cardiac arrhythmias, reduced cardiac output and, in severe cases, death.

COMPONENT ANALYSIS - LD50/LCso

Citric Acid (77-92-9)

LD50 (Oral-Rat) 3 gm/kg; LD50 (Oral-Mouse) 5040 mg/kg; Lungs, Thorax, or Respiration changes; Musculoskeletal changes; LD50 (Subcutaneous-Rat) 5500 mg/kg; LD50 (Subcutaneous-Mouse) 2700 mg/kg; Lungs, Thorax, or Respiration changes; Musculoskeletal changes; LD50 (Intraperitoneal-Rat) 290 mg/kg; LD50(Intraperitoneal-Mouse) 903 mg/kg; LD50 (Intravenous-Mouse) 42 mg/kg; Behavioral: convulsions or effect on seizure threshold; Lungs, Thorax, or Respiration: cyanosis; Gastrointestinal: changes in structure or function of salivary glands; LD50 (Intravenous-Rabbit) 330 mg/kg

COMPONENT ANALYSIS - TDLo/TCLo/LD/LDLo

Citric Acid (77-92-9)

LDLo (Oral-Rabbit) 7 gm/kg; Behavioral: tremor, convulsions or effect on seizure threshold, muscle contraction or spasticity

CARCINOGENICITY

GENERAL PRODUCT INFORMATION: No information identified.

COMPONENT CARCINOGENICITY: None of this product's components are listed by ACGIH, IARC, OSHA, NIOSH, or NTP.

EPIDEMIOLOGY: No information available.

NEUROTOXICITY: Has not been identified.

MUTAGENICITY: Citric Acid would not be expected to be genotoxic at physiological concentrations because it is a normal metabolite. It was not mutagenic in Salmonella typhimurium, and did not induce chromosome aberrations in cultured Chinese hamster fibroblast cells.

Teratogenicity: Citric Acid did not cause reproductive effects when tested in experimental animals. The sodium salt did not cause birth defects in rats. When given to rats at 1.2% in the diet over 2 generations, it did not affect reproduction. It did not affect litter size or survival of mice with prenatal exposure to up to 5% in the diet.

Other Toxicological Information: Persons with pre-existing eye, skin, respiratory, or allergic conditions may be more sensitive.

SECTION XII - ECOLOGICAL INFORMATION

ECOTOXICITY

GENERAL PRODUCT INFORMATION: Water Solubility = 59.2% (20 deg C); 84% (100 deg C). Biological Oxygen DEMAND (BOD): 40%, 5 days; 60%, 10-20 days. Citric Acid biodegrades quite rapidly. It is dangerous to aquatic life in high concentrations. Lowers pH in water but does not dissociate to any great extent.

FOOD CHAIN CONCENTRATION POTENTIAL: Very Low

ECOTOXICITY:

TLm (immersion-shore crab) 48 hours = 160 ppm (salt water); TLm (immersion-goldfish) 4 hr = 894 ppm (fresh water/ killed); ECo (Pseudomonas putida bacteria) 16 hours = >10,000 mg/L; ECo (Microcystis aeruginosa algae) 8 days = 80 mg/L; ECo (Scenedesmus quadricauda green algae) 7 days = 640 mg/L; ECo(Entosiphon sulcatum protozoa) 72 hours = 485 mg/L; ECo (Uronema parduczi Chatton-Lwoff protozoa) = 622 mg/L; LDO (Daphnia magna) = 80 mg/L, long-time exposure in soft water; LDO (goldfish) = 625 mg/L, long-time exposure in hard water; LD100 (goldfish) = 894 mg/L, long-time exposure in hard water; LD100 (Daphnia magna) 120 mg/L long-time exposure in soft water; toxic (Daphnia) = 100 mg/L; period of survival at pH 4.0 (goldfish) 48 hours = 894 mg/L; period of survival at pH 4.5 (goldfish) 48 hours = 625 mg/L

ENVIRONMENTAL FATE: Citric Acid is a naturally occurring chemical and is biodegradable. Octanol/Water Partition Coefficient Log P (oct): -1.72.

SECTION XIII - DISPOSAL CONSIDERATIONS

US EPA WASTE NUMBER & DESCRIPTIONS

GENERAL PRODUCT INFORMATION: Concentrated solutions may be considered D002 wastes (corrosive) by RCRA. Wastes should be tested prior to disposal to determine classification.

COMPONENT WASTE NUMBERS: No EPA Waste Numbers are applicable for this product's components.

DISPOSAL INSTRUCTIONS: Review federal, provincial, and local government requirements prior to disposal.

SECTION XIV - TRANSPORTATION INFORMATION

US DOT INFORMATION

SHIPPING NAME: Not Regulated

SECTION XV - REGULATORY INFORMATION

US FEDERAL REGULATIONS

GENERAL PRODUCT INFORMATION: No additional information.

COMPONENT ANALYSIS: None of this product's components are listed under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), or CERCLA (40 CFR 302.4).

SARA 302 (EHS TPQ): There are no specific Threshold Planning Quantities for Citric Acid. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lbs. (4,540 kg) therefore applies, per 40 CFR 370.20. REVISED: 02/16/11

SARA 311/312 TIER II HAZARD RATINGS: Immediate Chronic
Component CAS # Fire Reactivity Pressure Health Health
Hazard Hazard Hazard Hazard Hazard
Citric Acid 77-92-9 No No No No Yes Yes

STATE REGULATIONS

GENERAL PRODUCT INFORMATION: Other state regulations may apply.
COMPONENT ANALYSIS: State Citric Acid and Water are listed as follows:
NJ4: New Jersey other (included in 5 predominant ingredients >1%);
PA3: Pennsylvania (non-hazardous - present at 3% or greater)
Component CAS # CA FL MA MN NJ PA
Citric Acid 77-92-9 No No No No Yes Yes

OTHER REGULATIONS

GENERAL PRODUCT INFORMATION: No additional information.
COMPONENT ANALYSIS: Inventory
Component CAS # TSCA DSL EINECS
Citric Acid 77-92-9 Yes Yes Yes
Component Analysis - WHMIS IDL

THE FOLLOWING COMPONENTS ARE IDENTIFIED UNDER THE CANADIAN HAZARDOUS PRODUCTS ACT INGREDIENT DISCLOSURE LIST:

Component CAS # Minimum Concentration
Citric Acid 77-92-9 1% item 409 (80)

ANSI LABELING (Z129.1):

DANGER! CORROSIVE. CAUSES EYE, SKIN, AND RESPIRATORY TRACT IRRITATION OR BURNS. MAY CAUSE ALLERGIC SKIN SENSITIZATION REACTION. Do not taste or swallow. Do not get on skin or in eyes. Avoid breathing aerosols or mists. Keep container closed. Use only with adequate ventilation. Wash thoroughly after handling. Keep from contact with clothing. Wear gloves, goggles, faceshields, suitable body protection, and NIOSH/MSHA-approved respiratory protection, as appropriate. FIRST-AID: In case of contact, immediately flush skin or eyes with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. If inhaled, remove to fresh air. If ingested, do not induce vomiting. Get medical attention. IN CASE OF FIRE: Use water fog, dry chemical, CO2, or "alcohol" foam. IN CASE OF SPILL: Neutralize spill and wash area. Place residue in suitable container. Consult Material Safety Data Sheet for additional information.

SECTION XVI - OTHER INFORMATION

CONTACT PERSON: MSDS Coordinator, Meras Engineering Inc, San Francisco, CA 94102, (866) 899-9762

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.